

# AQUA

~ FLOW

## XL / TITANIUM

### HEAT PUMP POOL HEATER



Enjoy a warm summer with full comfort.

Hide your pool heater under the patio.

- Innovative look & design
- Continuous, efficient performance
- Unequalled eco-energy efficiency!

65 – 80 000 BTU's



**WATERCO**  
CANADA INC  
L'eau, le liquide de la vie  
water, the liquid of life

**30**  
ans  
years  
Depuis 1981  
Since 1981

[www.waterco.ca](http://www.waterco.ca)

# AQUA FLOW

## XL / TITANIUM

### HEAT PUMP POOL HEATER

65 – 80 000 BTU's

## MAIN FEATURES



**Fan located in the front panel** which enables installation under a deck, allows to hide the unit and take advantage of the space around the pool.

## Noise reduction components:



**Scroll type compressor** producing 10 dB less than the other brands available on the market.




**New digital control** which instantly displays any diagnosis in the unit and enables a fast and efficient service.



**New profiled fan blades** that increase air flow and, therefore, performance, while reducing noise.



**Water circulation guide** within the heat exchanger (compatible with chlorine generators) will increase water turbulence and velocity, thus improving thermal exchange and energetic yield.



**Three circuits compact evaporator** allows to collect more heat from the ambient air, which allows a better performance of the unit and ensures a greater heat transfer to the pool.



**Compliance of power output (BTUs), close to 100%,** guaranteed by manufacturer



**Environmentally friendly refrigerant,** totally harmless to the ozone layer.



**Easy to install, operate, maintain and winterize.**



**Warranty and Assistance directly from the manufacturer.**



# XL / TITANIUM

## HEAT PUMP POOL HEATER

65 – 80 000 BTU's

### TECHNICAL SPECIFICATIONS

SPECIFICATIONS	AFX065T261	AFX080T261
Model	XL	XL
Nominal Heating Capacity (btu)*	65 000 btu   19.05 Kw	80 000 btu   23.44 Kw
Water Flow (LPM/GPM)	Minimum: 151 LPM / 40 GPM - Maximum: 246 LPM / 65 GPM	
Water Connections (pu/cm)	1½ in	
Power Supply	208 / 230V – 1 phase	
Power Output (kW)	19 kW	23 kW
Circuit Breaker (Amp)	40 Amp	40 Amp
Amperage (Amp)	22.8 Amp	24.3 Amp
Defrost Cycle	Passive	Passive
Dimensions (pu/cm)	36 x 24 x 34 in 92 x 61 x 86 cm	36 x 24 x 34 in 92 x 61 x 86 cm
Weight (lbs/kg)	196 Lbs / 89 Kg	196 Lbs / 89 Kg

\* The heating capacity depends on water and ambient temperature, as well as humidity level.

### BASE WARRANTY

2 years parts and labor (limited)

10 years heat exchanger (parts only)



Waterco manufactures and distributes a comprehensive range of swimming pool and spa equipment.

- Pumps • Filters • Heat Pumps • Lights
- Chlorination • Valves • Water Levellers
- Accessories



**WATERCO**  
CANADA INC  
L'eau, le liquide de la vie  
water, the liquid of life

**30**  
ans  
years  
depuis 1981  
Since 1981

#### OFFICES - CANADA & USA

**Waterco (Canada) Inc**  
St Hyacinthe, Quebec,  
Canada  
Tel: +1 450 796 1421

**Waterco (USA) Inc**  
Augusta, Georgia, USA  
Tel: +1 706 793 7291

#### OFFICES - OVERSEAS

**NSW - Sydney (Head Office)**  
Tel: +61 2 9898 8600

**Waterco (Europe) Limited**  
Sittingbourne, Kent, UK  
Tel: +44 (0) 1795 521 733

**Waterco (NZ) Limited**  
Auckland, New Zealand  
Tel: +64 9 525 7570

**Waterco (C) Limited**  
Guangzhou, China  
Tel: +86 20 3222 2180

**Waterco (Far East) Sdn Bhd**  
Selangor, Malaysia  
Tel: +60 3 6145 6000

**PT Waterco Indonesia**  
Jakarta, Indonesia  
Tel: +62 21 4585 1481

**Waterco Singapore Intl Pte Ltd**  
Nehsons Building, Singapore  
Tel: +65 6344 2378

**Waterco France**  
SAINT PRIEST, France.  
Tel: +33 4 72 79 33 30

DISTRIBUTED BY:

